




PLACARD





	X	Y
	20	49,5
	20	49,5
	22	51,5













2 doors / 2 durvis




3 doors / 3 durvis








	Wave	  	$T = \frac{A - 64}{2}$	$T = \frac{A - 86}{3}$
	Sharp	 	$T = \frac{A - 45}{2}$	$T = \frac{A - 60}{3}$
			$P = \frac{A + 20}{2}$	$P = \frac{A + 40}{3}$
			$P = \frac{A + 15}{2}$	$P = \frac{A + 15}{3}$



SLOWMOVE PLACARD / PLACKARD AR BREMZI




HANDLES ROKTURI				
	WAVE 16	SHARP 16	WAVE 18	SHARP 18
A	656 mm	640 mm	656 mm	640mm




PLACARD glass / stikla



1



2 doors / 2 durvis



3 doors / 3 durvis




HANDLE PROFILE ROKTURA PROFILS	Glass width Stikla platums		Crosspieces width Dalījuma profila platums		Upper and lower profile width Augšējā un apakšējā profila platums		Door width Vērtnes platums	
Sharp	$C = \frac{A - 49}{2}$	$C = \frac{A - 66}{3}$	$TR = \frac{A - 85}{2}$	$TR = \frac{A - 90}{3}$	$PS = \frac{A - 45}{2}$	$PS = \frac{A - 60}{3}$	$P = \frac{A + 15}{2}$	$P = \frac{A + 30}{3}$
Wave	$C = \frac{A - 68}{2}$	$C = \frac{A - 92}{3}$	$TR = \frac{A - 112}{2}$	$TR = \frac{A - 158}{3}$	$PS = \frac{A - 64}{2}$	$PS = \frac{A - 86}{3}$	$P = \frac{A + 20}{2}$	$P = \frac{A + 40}{3}$


PLACARD glass / stikla

2

Abpusējā līmlenta




Sealing for glass must be added in crosspiece and handle profiles
Roktura profilos un dalījuma profilos jāievieto blīv gumija stiklam



Without Slowmove
Bez bremzes

3



4 With Slowmove
Ar bremzi

