



BEST 105



FEATURES	
Description	1-bowl sink
Model	BEST 105
Base (mm)	600
Installations	Inset
Dimensions (mm)	570 x 510
Hole for built-in installation (mm)	550 x 480
Number of Bowls	1
Bowl Depth (mm)	200

LOGISTIC DATA	
Packaging Dimension (kg)	690 x 575 x 300

PACKAGING FEATURES	
Packaging	Cardboard and polyethylene
Sink kit	Space-saving siphon, integrated Flow Pro, rectangular overflow and hooks.



KERATEK



LKB10586BKM K86
8032557029373



LKB10586 K86
8032557029427



LKB10595 K95
8032861020516



LKB10596 K96
8032861020479



LKB10599 K99
8032861020530



LKB10587 K87
8031873006716



LKB10588 K88
8031873006723



LKB10589 K89
8031873006730

GRANITEK



LGB10562 G62
8032557065029



LGB10539 G39
8031873006747

LGB10540BKM G40
8031873006754

GRANITEK


METAL



LMB10579 M79
8031873119256

GRANITEK

MATT



LGB10578 G78
8032557066866



LGB10540 G40
8032557064930



LGB10543 G43
8032557064947



LGB10548 G48
8032557064954



LGB10568 G68
8032557064961

GRANITEK




CLASSIC





LGB10551 G51
8032557065005



LGB10559 G59
8032557065012



Fixing System



Best 105

general tolerances where not expressly communicated $\pm 0,4\%$
connection dimensions according to UNI EN 695
eventual exception are reported with *

elleci