



BEST 360



FEATURES	
Description	1-bowl sink
Model	BEST 360
Base (mm)	900
Installations	Inset
Dimensions (mm)	860 x 510
Hole for built-in installation (mm)	840 x 480
Number of Bowls	1
Bowl Depth (mm)	200

LOGISTIC DATA	
Gross Weight (kg)	19,40
Net Weight (kg)	14,50
Packaging Dimension (kg)	940 x 575 x 300
Packaging Volume (kg)	0,162

PACKAGING FEATURES	
Packaging	Cardboard and polyethylene
Sink kit	Space-saving siphon, integrated Flow Pro, rectangular overflow and hooks.



KERATEK



LKB36086 K86
8031873026370



LKB36095 K95
8031873026455



LKB36096 K96
8031873026462



LKB36099 K99
8031873026363



LKB36086BKM K86
8032557029359



LKB36087 K87
8031873006617



LKB36088 K88
8031873006624



LKB36089 K89
8031873006631

GRANITEK



LGB36062 G62
8032557038016



LGB36039 G39
8031873006648



LGB36040BKM G40
8031873006655

GRANITEK

METAL



LMB36079 M79
8031873110826

GRANITEK

MATT



LGB36040 G40
8032557037965



LGB36043 G43
8032557037972



LGB36048 G48
8032557037989



LGB36068 G68
8032557038023



LGB36078 G78
8032557066897

GRANITEK




CLASSIC







LGB36051 G51
8032557037996



LGB36059 G59
8032557038009



Fixing System



Best 360

general tolerances where not expressly communicated $\pm 0,4\%$
connection dimensions according to UNI EN 695
eventual exception are reported with *

elleci